# **UAB PREKYBOS NAMAI WALDIS**

# SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Version 5.1 Revision Date 09.09.2015

Print Date 16.09.2015

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Phthalic anhydride

Product Number : 320064
Brand : waldis
Index-No. : 607-009-00-4

REACH No. : A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not

require a registration or the registration is envisaged for a later

registration deadline.

CAS-No. : 85-44-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : UAB Prekybos namai Waldis

D. Vandens 7-6

Klaipeda 91246 Lithuania

Telephone : +37046397900 Fax : +37046397901 E-mail address : for@waldis.lt

1.4 Emergency telephone number

Emergency Phone # +37046397900

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302 Skin irritation (Category 2), H315 Serious eye damage (Category 1), H318 Respiratory sensitisation (Category 1), H334

Skin sensitisation (Category 1), H317

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Danger

Hazard statement(s)

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P284 Wear respiratory protection.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Call a POISON CENTER or doctor/ physician if you feel

unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER or doctor/ physician.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/

physician.

Supplemental Hazard

Statements

none

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Phthalic anhydride			
CAS-No.	85-44-9	Acute Tox. 4; Skin Irrit. 2; Eye	<= 100 %
EC-No.	201-607-5	Dam. 1; Resp. Sens. 1; Skin	
Index-No.	607-009-00-4	Sens. 1; STOT SE 3; H302,	
		H315, H318, H334, H317,	
		H335	

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

# General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

No data available

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): Non Combustible Solids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## Components with workplace control parameters

## 8.2 Exposure controls

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de,

test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties 9.1

a) Appearance Form: flakes

Colour: white

b) Odour No data available Odour Threshold No data available 2 at 6 g/l at 20 °C pН d)

Melting point/freezing e)

point

Melting point/range: 131 - 134 °C - lit.

f) Initial boiling point and

boiling range

284 °C - lit.

g) Flash point 152 °C - closed cup h) Evaporation rate No data available i) Flammability (solid, gas) No data available

Upper/lower Upper explosion limit: 10,4 %(V) flammability or Lower explosion limit: 1,7 %(V)

explosive limits

< 0,01 hPa at 20 °C

k) Vapour pressure Vapour density No data available I) 1,53 g/cm3 at 20 °C m) Relative density

n) Water solubility 16,4 g/l at 20 °C - soluble

Partition coefficient: noctanol/water

log Pow: 1,6 at 20 °C

Auto-ignition temperature

580 °C

q) Decomposition

No data available

temperature

No data available Viscosity r) No data available s) Explosive properties Oxidizing properties No data available

9.2 Other safety information

> Surface tension 32.7 mN/m at 180 °C

## **SECTION 10: Stability and reactivity**

### Reactivity

No data available

#### 10.2 **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions 10.3

No data available

#### **Conditions to avoid** 10.4

Avoid moisture.

#### 10.5 **Incompatible materials**

Strong acids, Strong bases, Strong oxidizing agents, Strong reducing agents

# 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - male - 1.530 mg/kg

LC50 Inhalation - Rat - 4 h - > 2,14 mg/l

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - > 10.000 mg/kg

### Skin corrosion/irritation

Skin - Rabbit

Result: Mild skin irritation - 24 h

### Serious eye damage/eye irritation

Eves - Rabbit

Result: Moderate eye irritation

(Draize Test)

### Respiratory or skin sensitisation

Maximisation Test (GPMT) - Guinea pig May cause allergic skin reaction.

(OECD Test Guideline 406)

in vivo assay - Guinea pig

May cause allergic respiratory reaction.

### Germ cell mutagenicity

reverse mutation assay

S. typhimurium Result: negative

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

### Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

## Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

### **Additional Information**

Repeated dose

Rat - male and female - Oral - NOAEL : 500 mg/kg

toxicity

RTECS: TI3150000

prolonged or repeated exposure can cause:, Liver injury may occur., Kidney injury may occur., Exposure to and/or consumption of alcohol may increase toxic effects., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish semi-static test LC50 - Danio rerio (zebra fish) - 560 mg/l - 7 d

Toxicity to daphnia and

other aquatic invertebrates

Immobilization EC50 - Daphnia magna (Water flea) - > 640 mg/l - 48 h

Toxicity to algae EC50 - Pseudokirchneriella subcapitata (green algae) - 60 - 350 mg/l - 96 h

### 12.2 Persistence and degradability

Biodegradability Biotic/Aerobic - Exposure time 14 d

Result: 85 % - Readily biodegradable

(OECD Test Guideline 301)

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

Harmful to aquatic life.

No data available

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

### Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

# 14.1 UN number

ADR/RID: - IMDG: - IATA: -

# 14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

# 14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

# 14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

## 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

### 14.6 Special precautions for user

No data available

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 453/2010.

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

## **SECTION 16: Other information**

### Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

### **Further information**

Copyright 2015 UAB Prekybos namai Waldis. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.

Waldis Company and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.waldis.lt and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.